


Project Name: Home2 FF&E Specs
 Scheme: (A) Vibrant
 Issue Date: March-23
 Revisions: May-23 Δ1, Dec-23 Δ4

Item Number: **(A) GR-203**
 Item Name: Vanity Sconce - **REQUIRED VENDOR/DESIGN**
 Area Name: Guest Suite

Manufacturer:	Arkansas Lighting	Illumination Lighting	Trinity Lighting
Address:	1701 South 28th Street Van Buren, AR 72956	2300 Victoria Ave Lachine, Quebec H8S 1Z3	2902 Quality Way Jonesboro, AR 72401
Phone:	479-474-0876	514-634-7200 ext 225	870-972-1177
Contact:	Maria Gunter	Annette Serrao	Sonja Hutchison
E-mail:	mgunter@arkansaslighting.com	annette@illuminationlighting.com	shutchison@trinitylighting.com
Web:	www.arkansaslighting.com	www.illuminationlighting.com	www.trinitylighting.com

Description: Wall Sconce at Vanity
 Dimensions: 48" W x 2.5" D x 5" H
 Finish: Overall to match Tiger Drylac Sparkle Silver Glossy 49/90450
 Switch Type: Hardwired
 Cord Length: NA
 Cord Color: NA
 Lamp Type: Replaceable LED Board, 3000K
 Lamp Wattage: 24W
 Lamp Quantity: 1
 UL Listing: Fixture must be U.L. listed and so labeled
 Shade/Diffuser Style: Rectangular; Fastener attached
 Shade/Diffuser Style: Tapered drum
 Shade/Diff. Material: Frosted, matte, white acrylic shade
 Shade/Diff. Dims.: 2" D x 1 1/2" H x 48"L
 Suspension Info: Refer to architectural drawings
 Dimmer: No
 Notes: Manufacturer to provide mounting hardware. Coordinate location of fixture's electrical feed with location of j-box and architectural field conditions.



Overall Finish

REQUIRED VENDOR, REQUIRED DESIGN

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.