


Project Name: Home2 FF&E Specs  
 Scheme: (A) Vibrant  
 Issue Date: March-23  
 Revisions: May-23 Δ1, Dec-23 Δ4

Item Number: **(A) GR-204**  
 Item Name: Sconce @ Wall Hooks - **REQUIRED VENDOR/DESIGN**  
 Area Name: Guest Suite

Manufacturer:	<b>Arkansas Lighting</b>	<b>Illumination Lighting</b>	<b>Trinity Lighting</b>
Address:	1701 South 28th Street Van Buren, AR 72956	2300 Victoria Ave Lachine, Quebec H8S 1Z3	2902 Quality Way Jonesboro, AR 72401
Phone:	479-474-0876	514-634-7200 ext 225	870-972-1177
Contact:	Maria Gunter	Annette Serrao	Sonja Hutchison
E-mail:	<a href="mailto:mgunter@arkansaslighting.com">mgunter@arkansaslighting.com</a>	<a href="mailto:annette@illuminationlighting.com">annette@illuminationlighting.com</a>	<a href="mailto:shutchison@trinitylighting.com">shutchison@trinitylighting.com</a>
Web:	<a href="http://www.arkansaslighting.com">www.arkansaslighting.com</a>	<a href="http://www.illuminationlighting.com">www.illuminationlighting.com</a>	<a href="http://www.trinitylighting.com">www.trinitylighting.com</a>

Description: Casegood Mounted, Corded Sconce with Accent Trim  
 Dimensions: Overall: 7 3/4" D x 5" W x 10 7/16" H, Back Plate Max. Height: 4.5" H  
 Finish: Overall: To match Tiger Drylac Sparkle Silver Glossy 49/90450, Accent Banding: To match RAL 9011 Graphite Black in matte finish  
 Switch Type: On/Off Accessible Rocker switch located at lower side of fixture, Finish: Black  
 Cord Length: 72"  
 Cord Color: Clear/Silver  
 Plug Type: 90° plug with 45° cord placement  
 Lamp Type: A15 LED, E26 Medium Socket, 2700K  
 Lamp Wattage: 8.5W  
 Lamp Quantity: 1  
 UL Listing: Fixture must be U.L. listed and so labeled  
 Shade/Diffuser Style: Fixed shade with acrylic top and bottom diffuser  
 Shade/Diff. Material: Frosted, matte, white acrylic shade  
 Shade/Diff. Dims.: 4" Top Dia., 5" Bottom Dia. x 6" H  
 Suspension Info: Coordinate with Working Wall and refer to architectural drawings  
 Dimmer: No  
 Notes: NA



Overall Finish



Accent Finish

**REQUIRED VENDOR, REQUIRED DESIGN**

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.