


Project Name: Home2 FF&E Specs  
 Scheme: (A) Vibrant  
 Issue Date: March-23  
 Revisions: May-23 Δ1; Dec-23 Δ4; Sept-24 Δ9

Item Number: **(A) GR-205**  
 Item Name: Floor Lamp - **REQUIRED VENDOR/DESIGN**  
 Area Name: Guest Suite

Manufacturer:	Email: Δ9	Phone: Δ9
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479.474.0876
Illumination Lighting	info@illuminationlighting.com	514.634.7200
Trinity Lighting	hilton@trinitylighting.com	870.972.1177

Description: Hook Style Lamp with Angled Shade and Round Base  
 Dimensions: 12"W x 17"D x 60"H  
 Finish: Overall: To match RAL 9011 Graphite Black in matte finish  
 Switch Type: On/Off Accessible mini rocker base switch on stem, 36" on center above finished floor. Finish: Black  
 Cord Length: 72"  
 Cord Color: Clear/Silver  
 Plug Type: 90° plug with 45° cord placement  
 Lamp Type: A19 LED, E26 Medium Socket, 2700K  
 Lamp Wattage: 10W  
 Lamp Quantity: 1  
 UL Listing: Fixture must be U.L. listed and so labeled  
 Shade/Diff. Material: White linen wrapped shade with rolled edges  
 Shade/Diff. Dims.: Top: 9 1/2" Dia.; Bottom: 11 3/4" Dia.; 14"H  
 Lamp Base: Base to feature felt protective non-skid padding secured to bottom. Base to be weighted.  
 Dimmer: No  
 Notes: NA



Lamp Body Finish

**REQUIRED VENDOR, REQUIRED DESIGN**

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.