

Project Name: Home2 FF&E Specs
 Scheme: (B) Dynamic


Item Number: **(B) GR-205**
 Item Name: Floor Lamp - **REQUIRED VENDOR/ DESIGN**

Issue Date: March-23
 Revisions: May-23 Δ1, Dec-23 Δ4

Area Name: Guest Suite

Manufacturer:	Arkansas Lighting	Illumination Lighting	Trinity Lighting
Address:	1701 South 28th Street Van Buren, AR 72956	2300 Victoria Ave Lachine, Quebec H8S 1Z3	2902 Quality Way Jonesboro, AR 72401
Phone:	479-474-0876	514-634-7200 ext 225	870-972-1177
Contact:	Maria Gunter	Annette Serrao	Sonja Hutchison
E-mail:	mgunter@arkansaslighting.com	annette@illuminationlighting.com	shutchison@trinitylighting.com
Web:	www.arkansaslighting.com	www.illuminationlighting.com	www.trinitylighting.com

Description: Hook Style Lamp with Angled Shade and Round Base
 Dimensions: 12"W x 17"D x 60"H
 Finish: Overall: To match RAL 9011 Graphite Black in matte finish
 Switch Type: On/Off Accessible mini rocker base switch on stem, 36" on center above finished floor. Finish: Black
 Cord Length: 72"
 Cord Color: Clear/Silver
 Plug Type: 90° plug with 45° cord placement
 Lamp Type: A19 LED, E26 Medium Socket, 2700K
 Lamp Wattage: 10W
 Lamp Quantity: 1
 UL Listing: Fixture must be U.L. listed and so labeled
 Shade/Diffuser Style: Tapered drum
 Shade/Diff. Material: White linen wrapped shade with rolled edges
 Shade/Diff. Dims.: Top: 9 1/2" Dia.; Bottom: 11 3/4" Dia.; 14"H
 Lamp Base: Base to feature felt protective non-skid padding secured to bottom. Base to be weighted.
 Dimmer: No
 Notes: NA



Lamp Body Finish

REQUIRED VENDOR, REQUIRED DESIGN

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.