



Project Name: Home2 FF&E Specifications
 Scheme: (A) Vibrant


Item Number: **(A) GR-206**
 Item Name: Table Lamp @ Accessible Working Wall - **REQUIRED VENDOR/DESIGN**

Issue Date: March-23
 Revisions: May-23 Δ1; Dec-23 Δ4; Sept-24 Δ9

Area Name: Guest Suite

Manufacturer:	Email: Δ9	Phone: Δ9
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479.474.0876
Illumination Lighting	info@illuminationlighting.com	514.634.7200
Trinity Lighting	hilton@trinitylighting.com	870.972.1177

Description: Cylinder Style Lamp with Ring Accents and a Top Shade
 Overall Dimensions: 6"Dia. (at Base) x 12" D x 23"H
 Finish: Lamp Body and Finial: To match RAL 9011 Graphite Black in matte finish
 Switch Type: On/Off Accessible rocker switch at base, Finish: Black
 Cord Length: 60"
 Cord Color: Clear/Silver
 Plug Type: 90° plug with 45° cord placement
 Lamp Type: A15 LED, E26 medium socket 2700K
 Lamp Wattage: 7-10W
 Lamp Quantity: 1
 UL Listing: Fixture must be U.L. listed and so labeled
 Shade/Diff. Style: Tapered drum
 Shade/Diff. Material: White linen wrapped shade with rolled edges
 Shade/Diff. Dims.: Top: 11" Dia.; Bottom: 12"Dia.; Height: 10"
 Lamp Base: Base to feature felt protective non-skid padding secured to bottom. Base to be weighted.
 Dimmer: No
 Notes: Provide integrated cord management concealed in lamp base.



Lamp Body & Finial Finish

REQUIRED VENDOR, REQUIRED DESIGN

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.