

Project Name: Home2 Prototype FF&E Specifications
 Scheme: B-Dynamic
 Issue Date: March-23
 Revisions: June-23 Δ2, Dec-23 Δ4

Item Number: **(B) OF-717**
 Item Name: String Lights @ Outdoor
 Area Name: Outdoor - Lounge, Grilling Patio, & Pool

Manufacturer: **HD Supply**
 Phone: 800-431-3002
 E-mail: [pitemhilton@hdsupply.com](mailto:piteamhilton@hdsupply.com)
 Web: www.hdsupplysolutions.com

Description: Commercial Grade LED String Lights Set. Includes (15) Sockets Distanced 2-Feet Apart with (15) Clear Decorative LED Bulbs

Model Name/No.: A1V17/SL30-15/FIL Commercial Grade FEIT 30'-0" LED #S14 Stri Lights

Dimensions: 364" L x 17" H, Bulbs included

Finish: Black

Switch Type: Plug-in

Lamp Type: E26 Medium Base - 120V Amber Bulb finish

Lamp Wattage: LED - SMD/Color Tem: 2200/CRI: 80/ 15,000 hour life span

Lamp Quantity: 15 Bulbs

UL Listing: CETLUS Safety Rating Listed for Damp Locations

Dimmer: Non-dimming

Color Temperature: 2200K

Notes: Refer to prototype drawings for location.
 15 Bulbs included, must order in multiples of (4).



Unless Using A Specified Manufacturer, Submit The Following Required Item(s) for Approval Prior to Fabrication:

Finish Sample **Shop Drawing**

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.03

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.