

Project Name:	Home2 Prototype FF&E Specifications	Item Number:	(A) OF-717
Scheme:	A-Vibrant	Item Name:	String Lights @ Outdoor
Issue Date:	March-23	Area Name:	Outdoor - Lounge, Grilling Patio,
Revisions:	June-23 Δ2, Dec-23 Δ4		& Pool
Manufacturer:	HD Supply		
Phone:	800-431-3002		
E-mail:	piteamhilton@hdsupply.com		
Web:	www.hdsupplysolutions.com		
Description:	Commercial Grade LED String Lights Set. Include	s (15) Sockets Dis	tanced 2-Feet Apart with (15) Clear
	Decorative LED Bulbs		
Model Name/No.:	A1V17/SL30-15/FIL Commercial Grade FEIT 30'-0 Lights	" LED #S14 Strii	
Dimensions:	364" L x 17" H, Bulbs included		
Finish:	Black		
Switch Type:	Plug-in		
Lamp Type:	E26 Medium Base - 120V Amber Bulb finish		
Lamp Wattage:	LED - SMD/Color Tem: 2200/CRI: 80/ 15,000 hou	ır life span	
Lamp Quantity:	15 Bulbs		
UL Listing:	CETLUS Safety Rating Listed for Damp Locations		
Dimmer:	Non-dimming		
Color Temperature:	2200K		
Notes:	Refer to prototype drawings for location.		
	15 Bulbs included, must order in multiples of (4).		

Unless Using A Specified Manufacturer, Submit The Following Required Item(s) for Approval Prior to Fabrication: **Finish Sample** Shop Drawing

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.03 Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.