


Project Name: Home2 Prototype FF&E Specifications  
 Scheme: B-Dynamic  
 Issue Date: March-23  
 Revisions: May-23 Δ1; Sept-24 Δ9


Item Number: **(B) PA-201**  
 Item Name: Pendant Lighting @ Focus Booth  
 Area Name: Public Area - Lobby

Manufacturer:	Email: Δ9	Phone: Δ9
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479.474.0876
Illumination Lighting	info@illuminationlighting.com	514.634.7200
Trinity Lighting	hilton@trinitylighting.com	870.972.1177

Description: Hardwired Pendant  
 Overall Dimensions: 27" Dia. x 16"H x 36"OH, Canopy 8" Dia.  
 Finish: Exterior: Powdercoated stainless steel to match RAL 9011 Graphite Black matte finish. Interior: to match RAL 9010 Pure White  
 Switch Type: Hardwired  
 Cord Length: 72", adjustable in field  
 Cord Color: Black cloth cord cover  
 Lamp Type: A15 LED, E26 Medium Socket 3000K Dipped Bulb  
 Lamp Wattage: 11W  
 Lamp Quantity: 1  
 UL Listing: Fixture must be U.L. listed and so labeled  
 Shade/Diff. Style: Bell shape shade, open at bottom  
 Shade/Diff. Material: Powdercoated stainless steel  
 Shade/Diff. Dims.: 27"Dia. x 14"h  
 Suspension Info: Refer to architectural drawings for mounting height and location  
 Notes: Manufacturer to provide mounting hardware and accessories



Exterior Finish



Interior Finish

Unless Using A Specified Manufacturer, Submit The Following Required Item(s) for Approval Prior to Fabrication:  
**Finish Sample**  **Shop Drawing**

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.00

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.