

Project Name:	Home2 Prototype FF&E Specifications	Item Number:	(A) PA-250
Scheme:	A-Vibrant	Item Name:	Lamp @ Perch Table
Issue Date:	May-23	Area Name:	Public Area - Lobby
Revisions:	Dec-23 Δ4; Sept-24 Δ9		RENO ONLY
Manufacturer:	Email: Δ9	Phone: Δ9	
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479.474.0876	
Illumination Lighting	info@illuminationlighting.com	514.634.7200	
Trinity Lighting	hilton@trinitylighitng.com	870.972.1177	
Description:	Down Light Table Lamp with Outlets and USB for	r Charging	
Overall Dimensions:	12"W x 14"H x 3"D		
Finish:	Powdercoated stainless steel exterior to match RAL 9001 Graphite Black matte finish		
Switch Type:	On/Off Accessible rocker base switch at base. Finish: Black		
Cord Length:	96"		
Cord Color:	Clear/Silver		
Plug Type:	90° plug with 45° cord placement		a same
Lamp Type:	LED, PL, E26 Medium Socket 2700K		and the second second
Lamp Wattage:	6W		
Lamp Quantity:	1		
UL Listing:	Fixture must be U.L. listed and so labeled		
Shade/Diff. Material:	Powdercoated stainless steel shade to match RAL 9011 Graphite Black matte finish with frosted white acrylic diffuser		
Shade/Diff. Dims.:	3"W x 10 1/2"L		
Lamp Base:	Base to feature felt protective non-skid padding secured to bottom. Base to be weighted.		
			Lamp Body Finish
Dimmer:	No		
Notes:	To have two USB outlets, 1 - USB-C and 1 USB-	Α	

Unless Using A Specified Manufacturer, Submit The Following Required Item(s) for Approval Prior to Fabrication: **Finish Sample Shop Drawing**

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.00

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification MUST be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.
- Manufacturer to clearly mark each carton with item ID and specification number.