



Project Name:	Home2 Prototype FF&E Specifications	Item Number:	<b>(A) PA-251</b>
Scheme:	A-Vibrant	Item Name:	Pendant Light @ Re-Upholstered Banquette
Issue Date:	December-23	Area Name:	Public Area - Lobby <b>RENO ONLY</b>
Revisions:	Sept-24 Δ9		
Manufacturer:	Email: Δ9	Phone: Δ9	
Arkansas Lighting	hiltonsupport@arkansaslighting.com	479.474.0876	
Illumination Lighting	info@illuminationlighting.com	514.634.7200	
Trinity Lighting	hilton@trinitylightng.com	870.972.1177	

Description: 3 Light, Linear Pendant with Adjustable Height Cording

Overall Dimensions: 98"W x 36"H x 20"D

Finish: Powder-coated stainless steel exterior to match RAL 9011 Graphite Black matte finish, interior to match RAL 9010 Pure White

Switch Type: Hardwired

Cord Length: 84", adjustable in field

Cord Color: Black cloth cord cover

Lamp Type: A15 LED, E26 Medium Socket 3000K Dipped Bulb

Lamp Wattage: 11W

Lamp Quantity: 3

UL Listing: Fixture must be U.L. listed and so labeled


Shade/Diff. Style: Bell shape fixture, open at bottom

Shade/Diff. Material: Powder-coated stainless steel


Shade/Diff. Dims.: 20"Dia x 7 1/2"H

Suspension Info: Refer to architectural drawings for mounting height and location

Notes: Manufacturer to provide mounting hardware and accessories



Exterior Finish



Interior Finish

Unless Using A Specified Manufacturer, Submit The Following Required Item(s) for Approval Prior to Fabrication:

**Finish Sample**  **Shop Drawing**

Manufacturer to confirm the Product meets Hilton Design and Construction Standards as noted in Section 2515.00

Instructions:

- All quantities to be verified by hotel operator prior to purchasing.
- It is the responsibility of the owner to interpret these specifications for each property.
- All interpretations of the specification **MUST** be submitted to Hilton Design Review (projecthub.hilton.com) for final approval prior to purchasing or implementation of any material.
- Must be of contract quality and suitable for commercial use.
- All materials and methods of construction must comply with all local fire and life safety codes and Brand Standards.
- Fixture must be U.L. Listed and so labeled. Manufacturer is responsible for submitting all technical specifications for fire safety, UL standards, and any other specifications that are required to comply with local and state fire codes.
- Manufacturer/Fabricator to confirm weight of fixture.
- Manufacturer/Fabricator to verify installation method and hanging points.
- Show all pieces in scaled shop drawings. Entire fixture shall be inspected during the manufacturing and again after final assembly.



Project Name: Home2 Prototype FF&E Specifications  
Scheme: A-Vibrant  
Issue Date: December-23  
Revisions: Sept-24 Δ9

Item Number: **(A) PA-251**  
Item Name: Pendant Light @ Re-Upholstered Banquette  
Area Name: Public Area - Lobby **RENO ONLY**

- 
- Manufacturer to clearly mark each carton with item ID and specification number.